

ROCKO

Flooring by Kronospan



WATERPROOF FLOORING



R126 Bashmore, SO

ROCKO

Flooring by Kronospan

- 04 product range
- 07 surface textures
- 08 characteristics
- 10 collection flooring
- 10 1210 x 295 x 5 mm
- 30 1210 x 234 x 5 mm
- 40 1210 x 192 x 5 mm
- 66 skirtings
- 68 accessories
- 70 installation

Decor overview

Collection	Thickness	Utilization class	Residential Guarantee*	Locking System	V-Groove	Waterproof	Floor heating	Sound Insulation	Slide resistant	SKU's Total
1210 x 192	5+1 mm	34						PerfectPad®		8
1210 x 295	5 mm	34						-		9
1210 x 234	5 mm	34						-		4
1210 x 192	5 mm	34						-		11

*The guarantee is valid for domestic use acc. to the conditions of guarantee (detailed terms of guarantee: www.rocko-vinyl.com)

Decors



Waterproof flooring with superior performance

Innovative SPC floors with seamless design

Waterproof Rocko Flooring, made of over 70% of mineral core, finished with high-quality UV coating, is an outstanding material for domestic and commercial use, both in new projects and renovations.

Appearance of natural wood and stone

Rocko Flooring designs are digitally printed, reflecting down to the smallest detail the rich grain of wood and roughness of stones and concrete.

Coordinated solution

Our Rocko Flooring range comes with complementary accessories: waterproof flooring, skirting boards, underlay and cleaning liquid, for coordinated solution. All materials are produced and shipped from Europe, available in express program.

Ensured stability

Rocko Flooring range is set apart from other types of vinyl flooring by its unique resilient core, which provides an incredibly stable base for each flooring plank and ensures dimensional stability.

Utility class

Due to its parameters, Rocko Flooring is characterized by highest utility classes. It can be used in intensively used domestic areas as corridor or kitchen, as well as in commercial spaces with high traffic, such as offices.



For intensively used living areas



For flooring subject to intensive use in commercial premises




PerfectPad®


Pre-attached pad, perfectly fitted to panel surface with no gaps in padding. Allows to eliminate preliminary step of rolling out separate underlayment.

Available in chosen Rocko Flooring designs.


Rocko Flooring with Perfect Pad.



Rocko Flooring without pad.




STONE OAK - SO texture



HICKORY SCRAPE - HS texture



PEETAH - PT texture



Characteristics




Waterproof

Rocko Flooring is suitable for indoor use in dry and humid conditions, such as bathroom, laundry room, kitchen or vestibule.



Stain proof and easy to clean

Rocko Flooring meets stain resistance requirements, which might be caused by most common substances used in your living space: coffee, tea, wine, cleaning agents used in kitchen, laundry, and care products.




4-sided V-groove

Real v-groove on 4 sides of each plank.



Dimensionally stable

Rocko Flooring does not change its dimensions under the influence of temperature and humidity changes, so it can be used in sunny areas as well as in dry and humid ones.




Scratch resistant

Rocko Flooring is well-protected against fine scratches and everyday wear and tear thanks to durable top surface layer.



Soft touch

Rocko Flooring has a soft, pleasant surface and feels very comfortable, also barefoot.




Up to 60 panels per design

Up to 60 different panels per design and authentic appearance of wood and stones thanks to digital print technology.



1 clic 2go pure - fast, clean and easy

Rocko Flooring installation system was specifically designed to make fitting of flooring as easy and hassle free as possible. The click profiles allow individual panels to be joined together quickly with minimal tools or complications.





Collection

1210 x 295 x 5 mm

class 34





R149

Brown Marten

Stone Oak texture,
1210 x 295 x 5 mm





K538

Dovetail Arosa

Peetah texture,
1210 x 295 x 5 mm





R109

Concrete

Peetah texture,
1210 x 295 x 5 mm





R129

White Poppy

Stone Oak texture,
1210 x 295 x 5 mm





R128

Ascot

Stone Oak texture,
1210 x 295 x 5 mm





R125

Mornel

Stone Oak texture,
1210 x 295 x 5 mm





R123

Nutmeg

Stone Oak texture,
1210 x 295 x 5 mm






R124

Clove

Stone Oak texture,
1210 x 295 x 5 mm





R126

Bashmore

Stone Oak texture,
1210 x 295 x 5 mm





Collection

1210 x 234 x 5 mm

class 34






R063

Alkemi

Hickory Scrape texture,
1210 x 234 x 5 mm,





R066

Sculpta

Hickory Scrape texture,
1210 x 234 x 5 mm





R148

Clamshell

Stone Oak texture,
1210 x 234 x 5 mm





R150

Brenton

Stone Oak texture,
1210 x 234 x 5 mm






Collection

1210 x 192 x 5 mm

class 34





R079

Salt Mine

Stone Oak texture,
1210 x 192 x 5 mm





R071

Crystal Shore

Stone Oak texture,
1210 x 192 x 5 mm





R078

Airflow

Hickory Scrape texture,
1210 x 192 x 5 mm

option **5+1 mm**
PerfectPad®





R065

Rope

Hickory Scrape texture,
1210 x 192 x 5 mm

option **5+1 mm**
PerfectPad®





R077

Barista

Hickory Scrape texture,
1210 x 192 x 5 mm

option 5+1 mm
PerfectPad®





R073

Scandipure

Hickory Scrape texture,
1210 x 192 x 5 mm

option **5+1 mm**
PerfectPad®






R081

Crescendo

Hickory Scrape texture,
1210 x 192 x 5 mm

option 5+1 mm
PerfectPad®






R076

Bourbon Cask

Stone Oak texture,
1210 x 192 x 5 mm

option **5+1 mm**
PerfectPad®






R082

Humidor

Stone Oak texture,
1210 x 192 x 5 mm

option 5+1 mm
PerfectPad®





R090

Castlebridge

Stone Oak texture,
1210 x 192 x 5 mm





R070

Incando

Stone Oak texture,
1210 x 192 x 5 mm

option 5+1 mm
PerfectPad®














































SKIRTINGS ACCESSORIES INSTALLATION




Rocko waterproof skirting boards

Article	Decor	Item No.	Description	Packing Unit	Suitable for
K58C	 R079	SK58C-R079	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	   
K58C	 R077	SK58C-R077	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	  
K58C	 R128	SK58C-R128	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 R126	SK58C-R126	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 R123	SK58C-R123	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 R124	SK58C-R124	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	  
K58C	 Z212	SK58C-Z212	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	  
K58C	 R063	SK58C-R063	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 R066	SK58C-R066	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 Z215	SK58C-Z215	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 R078	SK58C-R078	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 R071	SK58C-R071	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 

Article	Decor	Item No.	Description	Packing Unit	Suitable for
K58C	 R065	SK58C-R065	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 R073	SK58C-R073	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 R081	SK58C-R081	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 R076	SK58C-R076	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 R082	SK58C-R082	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 R090	SK58C-R090	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 R070	SK58C-R070	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	 
K58C	 White	SK58C-9002	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	White suitable for all decors 
K58C	 Grey	SK58C-0171	2400 x 18 x 58 mm	10 pc/box = 24 rm/box 20 box/pallet	Grey suitable for all decors 




Waterproof



Easy install



Impact resistant



Decor match



For trimming







Adhesive installation



Clips

Accessories

Article	Illustration	Item No.	Description	Packing Unit
Tapping block		SCHLAGKLOTZ	168/90x70x20mm	Box of 20 pieces
Installation clips for skirtings		K5M		Box of 30 pieces
Rocko cleaning agent		PLYN-ROCKO-FLOORING	Cleaning agent removes dirt or greasy residues.	800 ml
Underlay PUR 1.0 Rocko		PUR1.0_SPC	Acoustic underlay, 1 mm, specifically for floating flooring, ideal for underfloor heating (Thermal Resistance 0,01m ² K/W), walking sound reduction 13%, CS>530kPa.	10 m ² /1roll 54 rolls/pallet

ROCKO


Tiles by Kronospan



WATERPROOF TILES



Installation Rocko Flooring with PerfectPad®



More information:



www.rocko-vinyl.com

Installation Rocko Flooring



More information:



www.rocko-vinyl.com

ROCKO

Flooring by Kronospan



www.rocko-vinyl.com

02/2023/EN

Product information in this brochure is correct at time of publication. The company has a policy of continuous product development and reserves the right to change any product specifications given in this brochure. Due to the variations in the printing process, colours in this brochure may be subject to deviation from the actual products.

kronospan

Distributor:

Kronoflooring Sp. z o.o.

Producer: 39-300 Mielec
Kronoflooring Sp. z o.o. ul. Wojska Polskiego 3
38-200 Jasło T +48 17 58 22 200
ul. Przemysłowa 10 F +48 17 58 22 300
T +48 13 44 24 901 sales.jaslo@kronospan.pl